

---

# List Of Properties In Math

---

*List Of  
Properties In  
Math* [www.2lacavedespapilles.com](http://www.2lacavedespapilles.com)  
*Downloaded from  
by Darion & Hess*

---

## UNLOCKING THE POWER OF NUMBERS: A COMPLETE LIST OF PROPERTIES IN MATH

---

Mathematics is often described as the language of the universe. Whether you are balancing a checkbook, designing a skyscraper, or coding a video game, the principles of math form the foundation. However, beneath the surface of every equation, formula, and function lies a set of fundamental rules

known as **properties**. These properties are not arbitrary; they are the consistent behaviors that numbers and operations follow. Understanding these rules transforms math from a collection of memorized steps into a logical, predictable system. Below, we present a comprehensive **list of properties in math** that every student, teacher, and enthusiast should know. This guide will help you navigate arithmetic, algebra, and beyond with confidence.

# Why Do Math Properties Matter?

Before diving into the list, it is helpful to understand why properties are so crucial. Properties are the building blocks of algebraic manipulation. They allow you to simplify expressions, solve equations, and prove statements. For example, knowing the distributive property can help you multiply a large number in your head, while the associative property ensures that the order of adding multiple numbers does not change the sum. In higher mathematics,

properties define structures like groups, rings, and fields. Essentially, a strong grasp of the **list of properties in math** empowers you to think flexibly and solve problems more efficiently.

---

## ESSENTIAL PROPERTIES OF ARITHMETIC OPERATIONS

---

Arithmetic is the most basic branch of math, dealing with addition, subtraction, multiplication, and division. The properties that govern these operations are central to all other areas.

## Commutative

# Property      Associative Property

The commutative property states that the order in which you add or multiply two numbers does not affect the result. In other words, you can “commute” – or move – the numbers around.

- **Commutative Property of Addition:**  $a + b = b + a$  (e.g.,  $3 + 5 = 5 + 3$ )
- **Commutative Property of Multiplication:**  $a \times b = b \times a$  (e.g.,  $4 \times 7 = 7 \times 4$ )

Note: Subtraction and division are **not** commutative. For example,  $8 - 3 \neq 3 - 8$ , and  $10 \div 2 \neq 2 \div 10$ .

The associative property deals with grouping. When adding or multiplying three or more numbers, the way you group them (using parentheses) does not change the result.

- **Associative Property of Addition:**  $(a + b) + c = a + (b + c)$  (e.g.,  $(2 + 4) + 6 = 2 + (4 + 6)$ )
- **Associative Property of Multiplication:**  $(a \times b) \times c = a \times (b \times c)$  (e.g.,  $(3 \times 5) \times 2 = 3 \times (5 \times 2)$ )

Again, subtraction and

division are not associative. Changing the grouping in  $(12 - 6) - 2$  versus  $12 - (6 - 2)$  yields different results.

## Distributive Property

The distributive property links addition and multiplication. It states that multiplying a number by a sum is the same as multiplying the number by each addend and then adding the products. This property is especially useful for mental math and algebra.

- **Distributive Property of Multiplication over Addition:**

$$a \times (b + c) = a \times b + a \times c \text{ (e.g., } 3$$

$$\times (4 + 5) = 3 \times 4 + 3 \times 5)$$

- **Distributive Property of Multiplication over**

**Subtraction:**  $a \times (b - c) = a \times b - a \times c$  (e.g.,  $6 \times (9 - 2) = 6 \times 9 - 6 \times 2$ )

## Identity Property

The identity property defines the special number that, when combined with a given operation, leaves the original number unchanged.

- **Identity Property of Addition:**  $a + 0 = a$  (zero is the additive identity)
- **Identity Property of Multiplication:**

$a \times 1 = a$  (one is the multiplicative identity)

divided by that number.

## Inverse Property

Inverse properties allow you to “undo” an operation. Every number has an additive inverse and a multiplicative inverse (except zero for multiplication).

- **Additive Inverse:**  $a + (-a) = 0$ . For every number  $a$ , there exists  $-a$  such that their sum is the additive identity.
- **Multiplicative Inverse (Reciprocal):**  $a \times (1/a) = 1$ , provided  $a \neq 0$ . The reciprocal of a number is  $1/a$ .

## PROPERTIES OF EQUALITY

Beyond number properties, algebra relies heavily on the properties of equality. These are the rules that allow you to manipulate equations without altering their truth.

## Reflexive Property

Any quantity is equal to itself:  $a = a$ . This seems trivial but is a foundational axiom for proofs.

## Symmetri

C

## Property

If  $a = b$ , then  $b = a$ . Equality works both ways. For example, if  $2 + 3 = 5$ , then  $5 = 2 + 3$ .

## Transitive Property

If  $a = b$  and  $b = c$ , then  $a = c$ . This property allows you to chain equalities. For instance, if  $x = y$  and  $y = 10$ , then  $x = 10$ .

## Substitution Property

If  $a = b$ , then  $a$  can be replaced by  $b$  in any expression or equation.

This is the backbone of solving equations: you can substitute known values for variables.

## Addition and Multiplication Properties of Equality

These properties state that you can add, subtract, multiply, or divide both sides of an equation by the same number (non-zero for division) and maintain equality.

- **Addition Property:** If  $a =$

b, then  $a + c = b + c$ .

- **Subtraction**

**Property:** If  $a = b$ , then  $a - c = b - c$ .

- **Multiplication**

**Property:** If  $a = b$ , then  $a \times c = b \times c$ .

- **Division**

**Property:** If  $a = b$  and  $c \neq 0$ , then  $a \div c = b \div c$ .

---

### PROPERTIES OF REAL NUMBERS: ORDER AND ABSOLUTE VALUE

---

When dealing with real numbers, additional properties govern order, inequalities, and absolute values. These are essential for comparing numbers and solving inequalities.

## Trichotomy Property

For any two real numbers  $a$  and  $b$ , exactly one of the following is true:  $a < b$ ,  $a = b$ , or  $a > b$ . This property ensures that real numbers are ordered in a clear, linear way.

## Transitive Property of Inequality

If  $a < b$  and  $b < c$ , then  $a < c$ . Similarly for  $>$ . This allows you to compare numbers indirectly.

# Properties of Absolute Value

Absolute value measures distance from zero and has its own set of properties.

- Non-negativity:  
 $|a| \geq 0$  for any real number  $a$ .
- Positive definiteness:  $|a| = 0$  if and only if  $a = 0$ .
- Multiplicative property:  $|a \times b| = |a| \times |b|$ .
- Triangle inequality:  $|a + b| \leq |a| + |b|$ .  
This is a powerful property used in many proofs.
- Absolute value of a difference:  $|a -$

$b|$  represents the distance between  $a$  and  $b$  on the number line.

---

## PROPERTIES OF EXPONENTS AND RADICALS

---

Exponents (powers) and radicals (roots) have their own consistent rules. These are essential for simplifying expressions and solving exponential equations.

# Properties of Exponents (Laws of Exponents)

s)

Assume  $a$  and  $b$  are real numbers (with appropriate restrictions to avoid division by zero or even roots of negatives).

- **Product of Powers:**  $a^m \times a^n = a^{m+n}$
- **Quotient of Powers:**  $a^m \div a^n = a^{m-n}$  ( $a \neq 0$ )
- **Power of a Power:**  $(a^m)^n = a^{m \times n}$
- **Power of a Product:**  $(ab)^m = a^m b^m$
- **Power of a Quotient:**  $(a/b)^m = a^m / b^m$  ( $b \neq 0$ )
- **Zero Exponent:**  $a^0 = 1$  ( $a \neq 0$ )
- **Negative Exponent:**  $a^{-n} = 1 / a^n$  ( $a \neq 0$ )

## Properties of Radicals (Roots)

Radicals are the inverse of exponents. The most common property is the product and quotient rules for square roots and higher roots.

- **Product Rule:**  
 $\sqrt[n]{ab} = \sqrt[n]{a} \times \sqrt[n]{b}$   
 (provided  $a, b \geq 0$  for real numbers)
- **Quotient Rule:**  
 $\sqrt[n]{a/b} = \sqrt[n]{a} / \sqrt[n]{b}$   
 ( $a \geq 0, b > 0$ )
- **Rational Exponents:**  $a^{m/n} = (\sqrt[n]{a})^m$  or  $\sqrt[n]{a^m}$
- **Simplifying Radicals:** Factor out perfect squares (or

cubes) from  
under the radical  
sign.

---

## PROPERTIES OF LOGARITHMS

---

Logarithms are the inverses of exponential functions. They have properties that convert multiplication into addition, division into subtraction, and powers into multiplication.

- **Product Rule:**  
 $\log_b(xy) = \log_b x + \log_b y$
- **Quotient Rule:**  
 $\log_b(x/y) = \log_b x - \log_b y$
- **Power Rule:**  
 $\log_b(x^p) = p \times \log_b x$
- **Change of Base Formula:**  $\log_b a = \log_c a / \log_c b$   
(used for converting between bases)
- **Identity:**  $\log_b b =$

1 and  $\log_b 1 = 0$

---

## PROPERTIES OF MATRICES (A GLIMPSE INTO LINEAR ALGEBRA)

---

In higher mathematics, matrices have their own set of properties. While a full list is lengthy, a few key properties are worth mentioning as part of the larger **list of properties in math**.

- **Matrix Addition is Commutative:**  
 $A + B = B + A$
- **Matrix Addition is Associative:**  
 $(A + B) + C = A + (B + C)$
- **Matrix Multiplication is NOT Commutative:**  
In general,  $AB \neq BA$ .
- **Matrix Multiplication**

**is Associative:**

$$(AB)C = A(BC)$$

- **Distributive Properties:**  $A(B + C) = AB + AC$

$$\text{and } (A + B)C = AC + BC$$

- **Identity Matrix:**  $AI = IA$